Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



THOMAS B. MEEHAN CO.

Wholesale Nurserymen DRESHER, MONTG. CO., PA.

Return Postage Guaranteed

U. S. DEPARTMENT OF AGRICULTURE,

WASHINGTON, D. C.

Fruit and Vegetable Crops and Diseases

GPO 8-2591

Sec. 562 P. L. & R.

U. S. Postage 1c PAID Dresher, Pa. Permit No. 1





Bulletin No. 1

March 15, 1938



Thomas B. Meehan C.

DRESHER, PA.

Telegraph address, Ambler, Pa.

MAR 24 1938 U. S. Bepartment of Agriculture.

E BULLAND

TERMS

NOTE: In addition to this list we can furnish many other varieties not generally called for. We can also supply larger and smaller sizes in most all the varieties listed.

B. & B.: Prices shown include B. & B. on all varieties of Evergreens.

PACKING. Cost of box and packing additional. When cash is sent with order add 15 per cent of the bill of goods to cover packing charges.

DELIVERY. To freight and express station, Dresher, Pa.

RESPONSIBILITY. After goods are placed on board cars here, we assume no responsibility for their safe delivery or any injury caused by delay in delivery by the transportation company.

QUANTITIES: 5 of the rate quoted per hundr		e variet =	y and s	size furnished at the rate quoted per ten.	25 at
Unit Price in Quantities				Unit Price in Qu	
	Each	Per 10	Per 100	Per Each 10	Per 100
ABELIA gradiflora, Glossy Abelia				AESCULUS—Horsechestnut hippocastanum, European	
1½ to 2 ft. B. & B	.75	.60	.50	6 to 8 ft 2.00 1.50	
2 to 3 ft. B. & B 3 to 4 ft. B. & B		.70 .90	.60	AMELANCHIER, Shadblow canadensis, Downy	
ABIES-Fir				2 to 3 ft	.40
concolor, White Fir	1.15	1.00	.80	AMORPHA fruticosa, Indigobush	
2 to 2½ ft	$\begin{array}{c} \textbf{1.50} \\ \textbf{2.50} \end{array}$	$\frac{1.25}{2.00}$	$\frac{1.00}{1.50}$	6 to 8 ft	.30
4 to 5 ft	3.50	3.00	2.25	AMPELOPSIS englemanni, Englemann Creeper	
5 to 6 ft	4.50	3.75	3.00	2 year	.12
pentaphylla, Five-leaf Ar		0.0	4.0	3 year	.16
1½ to 2 ft	.40	.23 .30	$\begin{array}{c} .18 \\ .25 \end{array}$	2 year	$.12 \\ .16$
3 to 4 ft	.55	.45	.35	veitchii, Boston Ivy	
ACER—Maple dasycarpum, Silver				3 year, 2 to 3 ft55 .45	.25 .35
1¼ to 1½ in. cal 1½ to 1¾ in. cal	$\begin{array}{c} \textbf{1.25} \\ \textbf{1.50} \end{array}$	$1.00 \\ 1.25$.80 1.00	AMYGDALUS NANA (See Prunus glandul persica, double Flowering peach	osa)
1¾ to 2 in. cal	2.00	1.50	1.25	Red, White and Pink	
2 to $2\frac{1}{2}$ in. cal	3.50	$\frac{2.25}{3.00}$	$\frac{1.75}{2.25}$	3 to 4 ft	.30
3 to 3½ in. cal 3½ to 4 in. cal	$\frac{4.50}{5.75}$	$\frac{3.75}{4.75}$	$\begin{array}{c} 3.00 \\ 3.75 \end{array}$	5 to 6 ft. X. X. B. & B. 1.75 1.50	• • • •
4 to 5 in cal	6.50	5.50	4.50	ANDROMEDA racemosa, Sweet Bell	
dasycarpum wierii, Cut-le 1¼ to 1½ in. cal		.95		2 to 3 ft. B. & B 2.50 2.25 ARALIA PENTAPHYLLA (see Acauthopa	• • • • •
$1\frac{1}{4}$ to $1\frac{3}{4}$ in. cal	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$\substack{\textbf{1.25}\\\textbf{1.65}}$	• • • •	spinosa, Hercules Club	
2 to 2½ in. cal	2.50	2.00	• • • •	2 to 3 ft	.20 .30
2½ to 3 in. cal negundo, Boxelder	3.00	2.50	• • • •	4 to 5 ft	.40
8 to 10 ft	.65 $.85$.55 .70		ARONIA-Chokeberry	.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal	$1.25 \\ 1.50$	$1.00 \\ 1.25$	• • • •	arbutifolia, Red 1½ to 2 ft	.30
2 to 2¼ in. cal	2.25	1.75	• • • •	2 to 3 ft	.40
Red leaf, Japanese		9.0		$1\frac{1}{2}$ to 2 ft	.30
15 to 18 in. B. & B 1½ to 2 ft. B. & B	$\frac{1.00}{1.15}$	$\begin{array}{c} .80 \\ 1.00 \end{array}$.65 .80	2 to 3 ft	.40
2 to 2½ ft. B. & B 2½ to 3 ft. B. & B	2.00 3.00	$\frac{1.50}{2.50}$	1.25 2.00	1 ½ to 2 ft	.25 .35
3 to 4 ft. B. & B	4.00	3.25	2.75	3 to 4 ft	.45
4 to 5 ft. B. & B palmatum atropurpureum		4.50 tum	3.50	AZALEA amoena, Dark Red	
Red Cut-leaf 1½ to 2 ft. B. & B	2.75	2.25		12 to 15 in. B. & B85 .70 15 to 18 in. B. & B 1.00 .85	.55 .75
2 to 2½ ft. B. & B platanoides, Norway	4.25	3.50	••••	1½ to 2 ft. B. & B 1.50 1.25 2 to 2½ ft. B. & B 2.00 1.50	$\frac{1.00}{1.25}$
8 to 10 ft	1.50	1.25	1.00	arborescens, Sweet Azalea	1.20
1¼ to 1½ in. cal 1½ to 1¾ in. cal	$\frac{1.75}{2.00}$	$\begin{array}{c} \textbf{1.50} \\ \textbf{1.75} \end{array}$	1.25 1.50	2 to 3 ft. B. & B 2.50 2.25 calendulacea, Orange and Yellow	• • • •
1 ¾ to 2 in. cal	$\begin{array}{c} 2.75 \\ 3.00 \end{array}$	$2.25 \\ 2.50$	$\frac{1.75}{2.00}$	1½ to 2 ft. B. & B 2.00 1.75 2 to 2½ ft. B. & B 2.50 2.25	1.35 1.75
2 1/4 to 2 1/2 in. cal	3.50	2.75	2.25	2½ to 3 ft. B. & B 3.00 2.50	2.00
$2\frac{1}{2}$ to 3 in. cal	4.25 5.75	$\begin{array}{c} 3.50 \\ 4.75 \end{array}$	$\frac{2.75}{3.75}$	3 to 4 ft. B. & B 3.75 3.00 hinodegiri, Bright Red	2.50
3½ to 4 in. cal platanoides schwedleri, P	6.50 urple-le	5.50 eaved	4.50	10 to 12 in	$\frac{.65}{1.25}$
8 to 10 ft	$\frac{1.75}{2.00}$	$\frac{1.50}{1.75}$	1.50	hinomayo, Pink 12 to 18 in 2.00 1.75	
1½ to 1¾ in. cal	2.75	2.25	1.75	Kaempferi, Hybrid varieties	••••
1¾ to 2 in. cal 2 to 2¼ in. cal	$\begin{array}{c} 3.00 \\ 3.50 \end{array}$	$\substack{2.50 \\ 2.75}$	$\begin{array}{c} 2.00 \\ 2.25 \end{array}$	Carmen, rose Cleopatra, shell pink	
rubrum, Red or Scarlet 1½ to 1¾ in. cal	3.50	2.85	2.25	Fedora, salmon rose Othello, orange red	
$1\frac{3}{4}$ to 2 in. cal	$\begin{array}{c} 4.75 \\ 5.50 \end{array}$	$\begin{array}{c} 3.75 \\ 4.50 \end{array}$		15 to 18 in	
2 1/4 to 2 1/2 in. cal 2 1/2 to 3 in. cal	7.00 8.00	5.50 6.50	• • • •	2 to 2½ ft. X. X 3.00 2.75 ledifolia, alba, White	
saccharum, Sugar			1.00	15 to 18 in 1.50 1.25	1.00
8 to 10 ft	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	$\frac{1.00}{1.25}$	1½ to 2 ft 2.65 2.25 ledifolia magnifica, Blush-white	1.75
1½ to 1¾ in. cal	$\frac{2.25}{2.75}$	$\frac{2.00}{2.25}$	1.50 1.75	2 to 2½ ft. X. X 2.75 2.50 2½ to 3¼ ft. X. X 3.50 3.00	
2 to $2\frac{1}{4}$ in. cal	$\frac{3.00}{3.75}$	2.50 3.00	2.00	2½ to 3¼ ft. X. X 3.50 3.00 macrantha, Salmon-red 12 to 15 in 1.50 1.25	1.00
2½ to 3 in. cal	4.50	3.75	3.00	15 to 18 in	1.50

Unit	Price in Qua	intities Per	T.	nit Pric	e in Qua Per	ntities Per
AZALEA—(Continued)		100	CARPINUS—Hornbeam	Each	10	100
	.25 1.00 .75 1.50		caroliniana, American 6 to 8 ft 8 to 10 ft. B. & B	5.00	$\frac{2.75}{4.25}$	$\frac{2.25}{3.50}$
mucronulatum (Rhododendro	on) Korean .00 1.75	• • • •	10 to 12 ft. B. & B 12 to 14 ft. B. & B		$\begin{array}{c} 5.00 \\ 6.00 \end{array}$	$\frac{4.00}{5.00}$
	.25 2.00 .50 2.25	٠	incana (mastacantha)		20	1.0
	.00 3.50	• • • •	12 to 15 in		$.20 \\ .25$	$\begin{array}{c} .16 \\ .20 \end{array}$
12 to 15 in 1 15 to 18 in 1	$\begin{array}{ccc} .25 & 1.00 \\ .50 & 1.25 \\ \end{array}$		atlantica glauca, Blue At 6 to 8 ft. B. & B	10.00	8.00	
	.25 1.75 .00 2.50	• • • •	8 to 10 ft. B. & B 10 to 12 ft. B. & B	12.00	$\begin{array}{c} 10.00 \\ 12.50 \end{array}$	• • • •
$2\frac{1}{2}$ to 3 ft	.75 .25		orbiculatus, Japanese			
	.00 2.50		scandens, American 2 year, 2 to 3 ft 3 year, 3 to 4 ft	.30	$\begin{array}{c} .25 \\ .30 \end{array}$.20 .25
viscosa, Swamp Azalea, Whit	.50 3.00 te .15 1.75		CERCIDIPHYLLUM—Katsı japonicum	ıra Tre		
2½ to 3 ft	.50 2.00	• • • •	8 to 10 ft	5.75	$\begin{array}{c} 3.50 \\ 4.75 \\ 6.00 \end{array}$	• • • •
	$\begin{array}{ccc} .15 & 1.75 \\ .25 & 2.00 \end{array}$	1.50	CERCIS—Red Bud or Judas		0.00	
BENZOIN—Lindera—Spice Bus aestivalis		0.0	canadensis, American 4 to 5 ft 5 to 6 ft	1.10	.70 .95	.55 .75
3 to 4 ft	$\begin{array}{ccc} .30 & .25 \\ .40 & .30 \\ .70 & .55 \end{array}$	$\begin{array}{c} .20 \\ .25 \\ .45 \end{array}$	6 to 8 ft	1.75	$1.25 \\ 1.50 \\ 1.75$	1.00 1.25 1.50
BERBERIS—Barberry			chinensis, Chinese 12 to 18 in	.30	.25	.20
	.50 .40 .75 .60	$\frac{.30}{.50}$	1½ to 2 ft 2 to 3 ft 3 to 4 ft	$\begin{array}{c} .50 \\ .65 \end{array}$	$.40 \\ .50 \\ .60$.30
verruculosa, Dwarf Holly-lea			CHAMAECYPARIS—Retinia obtusa crippsi, Cripps Go	spora	.00	.50
thunbergii, Japanese	.80	••••	1½ to 2 ft 2 to 2½ ft	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$\frac{1.25}{1.50}$	$\frac{1.00}{1.25}$
15 to 18 in	$egin{array}{cccc} .15 & .12 \\ .20 & .15 \\ .25 & .20 \\ \end{array}$	$\begin{array}{c} \textbf{.09} \\ \textbf{.12} \\ \textbf{.16} \end{array}$	2½ to 3 ft	3.50	$\begin{array}{c} 2.25 \\ 3.00 \\ 3.75 \end{array}$	$ \begin{array}{r} 1.75 \\ 2.25 \\ 3.00 \end{array} $
2 to 2½ ft thunbergii atropurpureum, R	.30 .25 Red Japanes	.20	obtusa gracilis, Slender F	linoki 2.00	1.50	1.25
15 to 18 in	$ \begin{array}{ccc} .30 & .23 \\ .35 & .28 \\ .45 & .40 \end{array} $.18 $.22$ $.30$	2 ½ to 3 ft 3 to 4 ft 4 to 5 ft	3.50	$2.00 \\ 2.75 \\ 4.50$	$ \begin{array}{r} 1.75 \\ 2.25 \\ 3.50 \end{array} $
2 to 2½ ft	.55 .60 .50	.35	5 to 6 ftobtusa nana, Dwarf Hino	7.50	6.25	5.00
minor, Box Barberry 9 to 12 in	.30 .23	.18	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3.75	$\begin{array}{c} 2.00 \\ 3.00 \\ 4.50 \end{array}$	$1.65 \\ 2.50 \\ 3.50$
BETULA—Birch alba, European White		4.00	2½ to 3 ft	6.75	5.50	4.50
8 to 10 ft 2	$egin{array}{ccc} .50 & 1.25 \ .00 & 1.50 \ .50 & 2.00 \ \end{array}$	$\begin{array}{c} \textbf{1.00} \\ \textbf{1.25} \\ \vdots \\ \end{array}$	pisifera, green and aurea plumosa, green and aure	, golde a, gold		
$1\frac{1}{4}$ to $1\frac{3}{4}$ in. cal 3. $1\frac{3}{4}$ to 2 in. cal 3.	$\begin{array}{ccc} .00 & 2.50 \\ .75 & 3.00 \end{array}$		squarrosa veitchii, Blue I 1½ to 2 ft 2 to 2½ ft	$\frac{1.00}{1.25}$	$\begin{array}{c} .75 \\ 1.00 \end{array}$.60 .75
	.25 .75 1.75 2.25		2 ½ to 3 ft	$\begin{array}{c} 1.50 \\ 2.50 \end{array}$	$1.25 \\ 2.00 \\ 2.50$	$1.00 \\ 1.50 \\ 2.00$
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal 3.	$\begin{array}{ccc} 00 & 2.50 \\ .75 & 3.00 \end{array}$		5 to 6 ft	4.50 6.00	3.75 5.00	3.00 4.00
	25 1.00 00 1.50		CHIONANTHUS—White Fr			
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal 2. $1\frac{3}{4}$ to 2 in. cal 3.	$\begin{array}{ccc} .50 & 2.00 \\ .00 & 2.50 \end{array}$		2 to 3 ft	.55	$.30 \\ .45 \\ .70$.25 .35 .55
$2\frac{1}{2}$ to $\tilde{3}$ in. cal 4.	$egin{array}{ccc} .50 & 3.00 \ .00 & 3.50 \ .50 & 4.00 \ \end{array}$		5 to 6 ft	$\frac{1.25}{1.50}$	$\begin{array}{c} \textbf{1.00} \\ \textbf{1.25} \end{array}$.75 1.00
papyrifera, Paper 1¼ to 1½ in. cal 2.			CLADRASTIS—Yellowwood lutea (tinctoria)	1.05	4 40	0.0
$1\frac{3}{4}$ to 2 in. cal 3.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		3 to 4 ft	$\begin{array}{c} 1.35 \\ 2.00 \\ 2.25 \end{array}$	$1.10 \\ 1.50 \\ 2.00$	$\begin{array}{c} .90 \\ 1.25 \\ 1.50 \end{array}$
$2\frac{1}{2}$ to 3 in. cal 4.	25 .50 4.00		6 to 8 ft	3.00	2.50	2.00
BIGNONIA—Trumpet Creeper grandiflora, Chinese Orange			paniculata, Sweet White 2 year 3 year	$^{.20}_{.25}$	$\frac{.16}{.20}$.13
2 year, grafts	.45 .35		CLETHRA—Pepperbush alnifolia, Sweet			
3 year heavy	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.09	1½ to 2 ft	$\begin{array}{c} \textbf{.35} \\ \textbf{.50} \\ \textbf{.65} \end{array}$	$\begin{array}{c} .25 \\ .40 \\ .50 \end{array}$	$.20 \\ .30 \\ .40$
BUDDLEIA—Butterfly bush Ile de France 1½ to 2 ft	35 .25	.20	4 to 5 ft	.75	.60	
veitchiana	25 .20	.16	alba (siberica) Red-stemr	.25	.20	$\begin{array}{c} .16 \\ .20 \end{array}$
BUXUS—Boxwood suffruticosa, Dwarf			2 to 3 ft	.30	$\begin{array}{c} .25 \\ .30 \end{array}$.25
4 to 6 in	.20 .16 .30 .25	$\begin{array}{c} .12 \\ .20 \end{array}$	3 to 4 ft	.60 .75	$.50 \\ .60$.40
8 to 10 in, B, & B	.40	.35	5 to 6 ft	$\frac{1.00}{1.25}$	1.00	.60 .75
purpurca, Chinese $1\frac{1}{2}$ to 2 ft	25 .20	.16	3 to 4 ft	$\frac{1.25}{1.50}$	$\frac{1.00}{1.25}$.75 1.00
2 to 3 ft CALYCANTHUS—Sweetshrub	40 .30	.25	5 to 6 ft	$\begin{array}{c} 2.75 \\ 3.75 \\ 5.50 \end{array}$	$\begin{array}{c} 2.25 \\ 3.00 \\ 4.50 \end{array}$	$1.75 \\ 2.50 \\ 3.50$
floridus, Reddish-purple 2 to 3 ft	30 .25	.20	10 to 12 ft Extra heavy specimens	7.50 50% ex	6.25	5.00
4 to 5 ft	40 .30 50 .40	.25	florida rubra, Red-floweri 2 to 3 ft 3 to 4 ft	$\begin{array}{c} \textbf{1.50} \\ \textbf{2.50} \end{array}$	$\frac{1.25}{2.00}$	$1.00 \\ 1.50$
CARAGANA—Siberian Pea arborescens, Yellow		7 6	4 to 5 ft	$\frac{3.75}{5.50}$	$\frac{3.00}{4.50}$	$\frac{2.50}{3.50}$
2 to 3 ft	25 30 35 .25 .30	$\begin{array}{c} .16 \\ .20 \\ .25 \end{array}$	6 to 8 ft 8 to 10 ft 10 to 12 ft	$6.75 \\ 9.00 \\ 11.50$	$5.50 \\ 7.50 \\ 9.50$	$4.50 \\ 6.00 \\ 7.50$
	50 .40	.30	Extra heavy specimens			1.00

Unit Price in Quantities			Unit Price in Quantities Per Per			
Eac Converse Continues		Per 100	EUONYMUS—(Continued)	Each	10	100
cornus—Dogwood—(Continued kousa 3 to 4 ft 1.0			alatus compacta, Dwarf 1½ to 2 ft	.35	.30	.25
4 to 5 ft	50 1.25	• • • •	2 to 3 ft	.55 .70	.45 .55	.35
6 to 7 ft		• • • •	americanus, Brook 3 to 4 ft 4 to 5 ft	.50 .65	.40 .50	.30
	55 .45 75 .60	.35 .50	bungeanus, Winterberry 3 to 4 ft	.35	.30	.25
4 to 5 ft	15 .95	$\begin{array}{c} .75 \\ 1.00 \end{array}$	4 to 5 ft 5 to 6 ft	$\begin{array}{c} .50 \\ .65 \end{array}$	$\begin{array}{c} .40 \\ .50 \end{array}$	$\begin{array}{c} .30 \\ .40 \end{array}$
2 00 0 2000 0000	50 .40 60 .50	.30 .40	europeaus, European Burn 3 to 4 ft	.35	$\begin{array}{c} \mathbf{sh} \\ .30 \\ .40 \end{array}$.25
lutea, Golden twig	50 .50 40 .30	.25	4 to 5 ft	.50 .65 green	.50	
2 to 3 ft			1½ to 2 ft 2 to 3 ft	.30 .65	$\begin{array}{c} .25 \\ .50 \end{array}$.40
2 to 3 ft	35 .30 40 .35	.25	radicans, Winter-creeper 6 to 9 in. 2 year	.20	.15	
avellena, European	60 .50	.40	colorata, Red-leaved 9 to 12 in. 2 year 12 to 15 in. 3 year	.25 .30	$^{.20}_{.25}$	$.16 \\ .20$
0 00 0 20111111111111111111111111111111	65 .50 85 .70 e-leaved	.60	15 to 18 in. 3 year minimum (Kewensis) Sma	.35	.30	.25
2 to 3 ft	75 .65 00 .85	• • • •	3 in. potsvegetus, Large-leaf	.25	.20	.16
COTONEASTER horizontalis (davidiana) Rock	ξ σr	E0.	9 to 12 in. 2 year 12 to 15 in. 3 year	.30 $.40$.25 $.30$.20 .25
1½ to 2 ft. B. & B 1.	$\begin{array}{ccc} 75 & .60 \\ 25 & 1.00 \end{array}$.50	15 to 18 in. 3 year	.45	.40	.30
microphylla, Rockspray 12 to 15 in. pots CRATAEGUS—Hawthorn	75 .55		grandiflora 2 to 3 ft	.30	$.25 \\ .30$.20
coccinea, Scarlet-fruited crus galli, Cockspur			3 to 4 ft	.45	.40	.30
mollis, large fruited 5 to 6 ft	75 1.50 00 1.75	$\frac{1.25}{1.50}$	americana, American 4 to 5 ft. B. & B	2.85	2.25	1.85
	25 2.00	1.25	5 to 6 ft. B. & B 6 to 8 ft. B. & B	$\begin{array}{c} 3.75 \\ 5.00 \\ 7.50 \end{array}$	$\begin{array}{c} 3.00 \\ 4.00 \\ 6.25 \end{array}$	$\begin{array}{c} 2.50 \\ 3.50 \\ 5.00 \end{array}$
8 to 10 ft. B. & B 3.	50 3.00 00 3.50		8 to 10 ft. B. & B sylvatica, European 3 to 4 ft. B. & B	1.50	1.25	1.00
	95 .75 15 .95	.60 .75	4 to 5 ft. B. & B 5 to 6 ft. B. & B	$\frac{2.50}{3.25}$	$\substack{2.00 \\ 2.75}$	$\frac{1.50}{2.25}$
5 to 6 ft 1.	$\begin{array}{ccc} 13 & .33 \\ 50 & 1.25 \\ 00 & 1.50 \end{array}$	1.00	6 to 8 ft. B. & B 8 to 10 ft. B. & B	$\frac{4.75}{6.50}$. 4.00 5.50	$\frac{3.25}{4.50}$
8 to 10 ft	2.00	••••	asplenifolia, Fernleaf 3 to 4 ft. B. & B 4 to 5 ft. B. & B	$\frac{2.75}{4.00}$	$\frac{2.25}{3.25}$	
5 to 6 ft 1.	.75 .00	• • • •	5 to 6 ft. B. & B pendula, Weeping_	5.50	4.75	• • • •
CRYPTOMERIA japonica lobbi			4 to 5 ft. B. & B 5 to 6 ft. B. & B	$\frac{4.50}{6.00}$		
4 to 5 ft	$\begin{array}{ccc} 00 & 2.50 \\ .25 & 3.50 \\ \end{array}$	$\frac{2.00}{2.80}$	6 to 8 ft. B. & B purpurea, Purple-leaved	7.50	6.25	• • • •
7 to 8 ft	$egin{array}{ccc} .25 & 4.50 \ .00 & 5.75 \ .00 & 7.50 \ \end{array}$	3.50	f to 8 ft. B. & B	7.50 3.50	••••	
CYDONIA—Flowering Quince japonica, Japanese			3 to 4 ft. B. & B 4 to 5 ft. B. & B 8 to 10 ft. B. & B	4.50 8.50		
1½ to 2 ft	.25 .20	.15	FORSYTHEA—Golden Bell intermedia, spectabilis, fo	rtunci	gugnens	: 9
12 00 10 110 1	.35 1.15	.95	weeping and viridissing 2 to 3 ft	na .30	.23	.16
DESMODIUM (see Lespedeza) DEUTZIA			3 to 4 ft	$.40 \\ .50 \\ .60$	$.30 \\ .40 \\ .50$	$.25 \\ .30 \\ .40$
	.30 $.25$ $.35$ $.30$	~ ~	5 to 6 ft	.40	.30	.25
gracilis rosea, Pink 1½ to 2 ft	.30 .25		3 to 4 ft	.55	.45	.35
lemoinei. Semi-dwarf, White	.35 $.30$ $.25$ $.20$		major 3 to 4 ft. B. & B. speci-	0.77	0.50	
2 to 3 ft	$\begin{array}{cccc} .30 & .25 \\ .35 & .30 \end{array}$.20	mens	2.75	2.50	• • • •
crenata alba plena, Double V crenata rosea plena, Double Pride of Rochester, Double I	Pink		americana, White 8 to 10 ft 1¼ to 1½ in. cal	$\frac{1.15}{1.50}$	$\begin{array}{c} .95 \\ 1.25 \end{array}$	$\begin{matrix} .75 \\ \textbf{1.00} \end{matrix}$
2 to 3 ft	.25 $.20$.20	$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal	$\frac{2.00}{2.50}$	$\begin{array}{c} 1.50 \\ 2.00 \\ 2.50 \end{array}$	
5 to 6 ft	.35 .30 .50 .40		2 to 2½ in. cal 2½ to 3 in. cal GINKGO—Salisburia—Maide	3.00 3.50	3.00	
biervilla sessilifolia (lutea) Southern 2 to 3 ft	Bush-hone	ysuckle .20	biloba 6 to 8 ft	2.50	2.00	1.60
3 to 4 ft ELEAGNUS—Olive	.35 .30	.25	1¼ to 1½ in. cal 1½ to 1¾ in. cal	$\begin{array}{r} 3.75 \\ 4.75 \\ 6.25 \end{array}$	$\begin{array}{c} 3.00 \\ 4.00 \\ 5.25 \end{array}$	$\begin{array}{c} 2.50 \\ 3.25 \\ 4.25 \end{array}$
angustifolia, Russian 2 to 3 ft	.30 .25 .50 .40		$\begin{array}{c} 1\sqrt[4]{4} \text{ to 2 in cal} \\ 2\text{ to } 2\sqrt[4]{4} \text{ in. cal} \\ 2\sqrt[4]{4} \text{ to } 2\sqrt[4]{6} \text{ in. cal} \end{array}$	$8.25 \\ 10.50$	$\begin{array}{c} 7.00 \\ 8.00 \end{array}$	$\begin{array}{c} 5.50 \\ 7.00 \end{array}$
3 to 4 ft	.60 .50		2½ to 3 in. cal		10.50	9.00
2 to 3 ft	.55 .45 .75 .60	.50	triacanthos	1.15	.95	.75
4 to 5 ft	.00 .75	.30	8 to 10 ft	2.00	1.50	1.25
3 to 4 ft	.55 .48 .70 .58	35 .45	tetraptera 4 to 5 ft 5 to 6 ft	$\begin{array}{c} .60 \\ .95 \end{array}$.50 .75	.40 .60
5 to 6 ft ELSHOLTZIA	.85 .70) .55	6 to 8 ft	$\frac{1.00}{1.25}$	$1.00 \\ 1.10$	$.70 \\ .80 \\ .90$
stauntoni 1½ to 2 ft	.35 .30	.25	10 to 12 ft	$1.35 \\ 1.50$	$\frac{1.10}{1.25}$	1.00
	1.25		HAMAMELIS—Witch-hazel virginiana, American 3 to 4 ft	.70	.55	.45
1½ to 2 ft. B. & B 1 EUONYMUS	1.50 1.2	š	4 to 5 ft	$\begin{array}{c} .85 \\ 1.10 \\ 1.35 \end{array}$	$\begin{array}{c} .70 \\ .90 \\ 1.10 \end{array}$.55 .70 .90
alatus, Japanese Winger 2 to 3 ft	.40 .30 .55 .4		6 to 8 ft		1.25	1.00
3 to 4 ft	.60 .5 .65 .5	$\begin{array}{ccc} 0 & .40 \\ 5 & .45 \end{array}$	helix, English	.25	.20	.16
6 to 8 ft	.75 .6	0 .50	12 to 18 in. 5 in. pots.	.20	, 20	

Unit Price in Quantities Per Per			Unit Price in Quantities Per Per			
HIBISCUS—Althaen—Rose of anemonaeflora, double pink		10	100	JUNIPERUS—Juniper, Cedar—(Continued) depressa plumosa, Andorra	100	
ardens, double blue boule de feu, double red coelestis, single blue	е.		- 3	or Plumed spreading 15 to 18 in	.60 .85	
Duchess de Brabant, double Jean de Arc, double white purpurea semi plena, semi-		o nurnie		2 to 2½ ft	1.00 1.50	
rubis, single red snowdrift, single white	doubl	e purpre		sabina, Savin 15 to 18 in	.65 .85	
w. R. Smith, single white 2 to 3 ft	.30	.25	.16	2 to 2½ ft	$1.00 \\ 1.25 \\ 1.50$	
3 to 4 ft 4 to 5 ft 5 to 6 ft	.35 $.50$ $.60$.30 .40 .50	.25	squammata meyer, Meyer 1½ to 2 ft 2.25 2.00	1.50 2.00	
6 to 8 ftvariegata, Variegata, et a. 2 to 3 ft	.75 ed .35	.60	.20	2 to 2½ ft	2.50	
3 to 4 ft	.45 .60	.35 .50	.30	5 to 6 ft	• • • •	
arborescens grandiflora, Hi 1½ to 2 ft 2 to 3 ft	11s of .30 .40	Snow .25 .30	.20 .25	8 to 10 ft	••••	
3 to 4 ftpaniculata type, single	.55	.45	.35	elegantissima, Goldtip glauca, Silver Blue keteleeri, Light Green		
2 to 3 ft	$.25 \\ .40 \\ .55$	$.20 \\ .30 \\ .45$.16 .25 .35	schotti, Schott, Yellow Green 3 to 4 ft	2.00 3.00	
paniculata grandiflora, larg 1½ to 2 ft 2 to 3 ft	ge flor .35 .45	wering .28 .38	.22	5 to 6 ft	4.50 5.00	
3 to 4 ft	.60 .65 e For	.50 .55	.40 .45	8 to 10 ft 9.50 8.00 10 to 12 ft 11.00 9.00 KALMIA—Mountain Laurel	• • • •	
3 to 4 ft	.75	.60 .75	.50 .65	angustifolia, Sheep Laurel 1½ to 2 ft. B. & B 2.00 1.50 2 to 2½ ft. B. & B 2.50 2.00		
quercifolia, Oak-leaf 1½ to 2 ft 2 to 3 ft	.40	.30		$\begin{array}{cccccccccccccccccccccccccccccccccccc$.90 1.25	
3 to 4 ft HYPERICUM—St. Johnsword aureum, Golden	.60 t	.50		KERRIA japonica, single		
2 to 3 ft	.40	.30	.25 .30	2 to 3 ft	.45	
2 to 2½ ft 2½ to 3 ft	.40 .45	.30 .40	.25 .30	2 to 3 ft	.45	
moserianum, Goldflower 12 to 15 in. pots 15 to 18 in. pots	.40 .60	.30 .50	$\begin{array}{c} .25 \\ .40 \end{array}$	europaea, European 5 to 6 ft. B. & B 4.00 3.50 6 to 8 ft. B. & B 5.25 4.50	2.50 3.50	
crenata microphylla, Japan 1½ to 2 ft. B. & B	1.50	1.25	1.00	8 to 10 ft. B. & B 7.50 6.25 10 to 12 ft. B. & B 10.50 8.25	5.00	
2 to 2½ ft. B. & B 2½ to 3 ft. B. & B 3 to 3½ ft. B. & B	2.25 2.75 3.50	2.00 2.25 2.85	1.50 1.75 2.25	buxifolium 2 to 2½ ft. B. & B 3.00 2.75		
3½ to 4 ft. B. & B convexa (bullata) 12 to 15 in. B. & B	4.25 1.25	3.75 1.00	.85	tespedeza—Bushclover formosa (Desmodium penduliflorum) 3 year	.20	
15 to 18 in. B. & B 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B	1.75 2.75 3.50	$1.50 \\ 2.25 \\ 2.85$	$1.25 \\ 1.75 \\ 2.25$	LEUCOTHOE catesbaei, Drooping Leucothoe 15 to 18 in. B. & B 1.15 .95	.75	
glabra, Inkberry 1½ to 2 ft. B. & B 2 to 2½ ft. B. & B	2.00 2.50	$\frac{1.75}{2.00}$		1½ to 2 ft. B. & B 1.50 1.25 LIGUSTRUM—Privet	1.00	
2½ to 3 ft. B. & B opaca, American	3.00	2.50	• • • •	amurense Amoor River 6 to 8 ft. X. X. heavy75 .60 ibolium	.50	
3 to 4 ft. B. & B 4 to 5 ft. B. & B. bushy specimens	3.50 7.00	2.85	2.25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$.08	
5 to 6 ft. B. & B. busy specimens vertical ata, Winterberry	8.50	••••	••••	$egin{array}{cccccccccccccccccccccccccccccccccccc$.13 $.16$ $.22$	
2 to 3 ft	.45 .55	.38 .45 .55	.30 .35 .45	regelianum (true) Regal's 15 to 18 in	.25	
5 to 6 ft ITEA—Sweetspire virginica	.85	70	.55	1½ to 2 ft	.30	
2 to 3 ft	.55 .70	.45 .55	.35 .45	1½ to 2 ft	.04 .05 .07	
nudiflorum, Yellow, early $1\frac{1}{2}$ to 2 ft 2 to 3 ft	.45	.38 .50	30	vulgare, European 2 to 3 ft	.15 .20	
JUGLANS—Walnut nigra 8 to 10 ft	1.25	1.00		LIQUIDAMBAR—Sweet Gum styraciflua 6 to 8 ft 2.75 2.25	1.75	
JUNIPERUS—Juniper, Cedar chincasis, Chinese	r			$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.50	
3 to 4 ft	2.50 3.50 4.75 6.00	$\begin{array}{c} 2.00 \\ 3.00 \\ 4.00 \\ 5.00 \end{array}$	$1.50 \\ 2.25 \\ 3.00$	2¼ to ½½ in. cal 5.75 4.50 2½ to 3 in. cal 6.50 5.00 LIRIODENDRON—Tulip Tree	• • • •	
6 to 7 ft pfitzeriana, Pfitzer's 1½ to 2 ft	1.50	1.25	1.00	tulipifera 6 to 8 ft	1.00 1.25	
2 to 3 ft	$\begin{array}{c} 2.00 \\ 3.50 \\ 5.00 \end{array}$	$1.50 \\ 2.75 \\ 4.25$	1.25	1 ½ to 1¾ in. cal 2.50 2.00 1¾ to 2 in. cal 3.00 2.50 2 to 2½ in. cal 3.50 3.00	• • • •	
communis aurea, Golden $1\frac{1}{2}$ to 2 ft 2 to $2\frac{1}{2}$ ft	$1.00 \\ 1.25$.80 1.05	.65 .85	LONICERA—Honeysuckle fragrantissima, Fragrant	••••	
2½ to 3 ft 3 to 4 ft hibernica, Irish	1.50 2.50	$\frac{1.25}{2.00}$	$\frac{1.00}{1.50}$	2 to 3 ft	.20 .25 .35	
2½ to 3 ft	1.25 1.50 2.50	$1.00 \\ 1.25 \\ 2.00$	$1.00 \\ 1.50$	halliana, Hall's Japanese 2 year	.10 .15	
5 to 6 ftexcelsa stricta, Spiny Gree 15 to 18 in	1.00	2.50	2.00	korolkowl floribunda Blue leaf maacki, Amur, podocarpa, late		
1½ to 2 ft	1.35 1.50 1.90	1.10 1.25 1.50	$\begin{array}{c} .90 \\ 1.00 \\ 1.25 \end{array}$	2 to 3 ft	.30	
3 to 4 ft	$2.50 \\ 3.00 \\ 3.50$	$2.00 \\ 2.50 \\ 3.00$	1.50	2 to 3 ft	.18 .25	

Unit Price in Quantities Per Per			Unit Price in Quantities Per Per			
LONICERA-Honeysuckle-	Each (Continu	10	100	Each 10 PICEA—Spruce—(Continued)	100	
tatarica pink and white 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft	$\begin{array}{c} .30 \\ .35 \\ .40 \\ .45 \end{array}$	$\begin{array}{c} .23 \\ .28 \\ .30 \\ .35 \end{array}$.18 .22 .25 .30	2½ to 3 ft	2.25 2.75 3.50	
siberica, Red 2 to 3 ft 3 to 4 ft 4 to 5 ft	$.25 \\ .30 \\ .45$.20 .25 .35	• • • •	6 to 7 ft		
LYCIUM—Matrimony Vine chinensis 1½ to 2 ft	.16 .20 .25	.13 .16 .20	.11 .13 .16	PIERIS—Audromeda floribunda, American 1½ to 2 ft 2.50 2.00		
MAGNOLIA glauca, Sweet Bay 3 to 4 ft. B. & B 4 to 5 ft. B. & B 5 to 6 ft. B. & B	2.25 3.00 4.00	1.75 2.50 3.25	• • • •	japonica, Japanese 15 to 18 in	.85 1.25 1.50	
6 to 8 ft. B. & B kobus, White 3 to 4 ft. B. & B 4 to 5 ft. B. & B 5 to 6 ft. B. & B	5.00 2.00 2.50 3.50	1.65 2.00 2.75		4 to 5 ft 3.75 3.00	1.75 2.50 3.25	
6 to 8 ft. B. & B lennei, Red 2 to 3 ft. B. & B 3 to 4 ft. B. & B	5.00 2.75 4.00	4.00 2.25 3.25	• • • •	6 to 7 ft	1.00 1.25	
4 to 5 ft. B. & B purpurea, Purple, late 2 to 2½ ft. B. & B. heavy 2½ to 3 ft. B. & B. heavy soulangeana, Pink	6.00 1.00 1.25	5.00 .75 1.00	• • • •	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.50 2.00	
2 to 3 ft. B. & B 3 to 4 ft. B. & B 4 to 5 ft. B. & B 5 to 6 ft. B. & B 6 to 8 ft. B. & B	1.50 2.75 3.75 5.00 6.75	1.25 2.25 3.00 4.00 5.50	$egin{array}{c} 1.00 \\ 1.75 \\ 2.50 \\ 3.25 \\ 4.50 \\ \end{array}$	densiflora, Japanese red nigra, Austrian resinosa, Red strobus, White sylvestris, Scotch		
stellata (Halleana) Star 1½ to 2 ft 2 to 2½ ft 2½ to 3 ft 3 to 4 ft	2.00 2.75 3.75 5.25	1.50 2.25 3.00 4.50	1.25 1.75 2.50 3.50	3 to 4 ft	1.65 2.50 3.50	
4 to 5 ft		6.25 .60 .80	5.00 .50 .65	orientalis, European 8 to 10 ft	1.25 1.75 2.00 2.50	
1½ to 2 ft. B. & B 2 to 2½ ft. B. & B MALUS—Flowering Crabap atrosanguinea, Carmine floribunda, Pink	1.15 1.50 ple	.95 1.25	1.00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3.00 4.00 5.00	
hoppi, Red niedwetzkyana, Redvein scheideckeri, Pink 5 to 6 ft 6 to 8 ft	$1.50 \\ 2.25$	$1.25 \\ 1.75$	• • • •	POPULUS—Poplar bolleana, Silver 2 to 2½ in. cal	.35	
8 to 10 ft parkmanni, Pink ioensis plena, Bechtel's C 4 to 5 ft	3.25	1.50 1.75	••••	6 to 8 ft	.50	
5 to 6 ft	3.00	2.50	.40	triloba plena, Double Pink Flowering Plur 2 to 3 ft		
2 to 2½ ft	.75 ••• 2.00	1.50	.50	subhertella pendula, Weeping 5 to 6 ft. 1 year heads. 2.00 1.50 5 to 6 ft. 2 year heads. 2.50 2.00 5 to 6 ft. 3 year heads. 3.00 4 to 6 ft. 5 year heads. 5.00	• • • • • • • • • • • • • • • • • • • •	
OXYDENDRON—Sourwood arboreum 3 to 4 ft	$\frac{1.50}{2.25}$.90 1.25 1.75	• • • •	Larger specimens—Price on application Kanzan, Deep Pink, Double Shirofugen, Light Pink buds open white large double 4 to 5 ft		
6 to 7 ft	10.00 Spurge	2.50	••••	5 to 6 ft	• • • •	
2 in. pots PHELLODENDRON—Corkty chinensis, Chinese 8 to 10 ft	2.50	2.00 2.50	.08	douglassi 3 to 4 ft. 1.75 1.50 4 to 5 ft. 2.00 1.75 5 to 6 ft. 4.25 3.50 6 to 8 ft. 6.00 5.00	1.25 1.50 2.75 4.00	
PHILADELPHUS—Mockora coronarius, Sweet-scented grandiflorus, large flower: 2 to 3 ft	nge l ing	.16	.13	8 to 10 ft. specimens 11.00 9.00 10 to 12 ft. specimens 15.00 12.50 12 to 14 ft. specimens 17.50 15.00 PYRACANTHA—Firethorn	7.00 10.00	
3 to 4 ft	.35	.23 .25 .30	$\begin{array}{c} .17 \\ .20 \\ .25 \\ \end{array}$	coccinea lalandi 1½ to 2 ft. 6 in. pots 1.50 1.25 2 to 3 ft. 7 in. pots 2.50 2.00 3 to 4 ft. 8 in. pots 3.00 2.50	$1.00 \\ 1.50 \\ 2.00$	
2 to 2½ ft	.45 .55 g, Sweet .40	.30	.25	QUERCUS—Oak alba, White 6 to 8 ft	1.00 1.75 2.50 3.25	
3 to 4 ft	.55	.45 1.25	1.00	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$4.25 \\ 5.50 \\ 7.00$	
PHYSOCARPUS—Ninebark opulifolia, green and auro 2 to 3 ft	.20	en-leaf .16 .20 .25 .30	$\begin{array}{c} .13 \\ .16 \\ .20 \\ .25 \end{array}$	6 to 8 ft	1.25 2.00 2.75 3.50 4.25 5.50 7.50	
PICEA—Spruce excelsa Norway 2 to 3 ft	$egin{array}{ccc} 1.25 \\ 2.50 \\ 3.50 \\ 6.00 \\ \end{array}$.80 1.00 2.00 3.00 5.00 tion	.65 .80 1.50 2.25 4.00	2 ½ to 2½ in. cal	1.25 2.00 2.50 3.00 4.00	

Unit Price	Per	Per	U	nit Price	Per	Per
QUERCUS—Oak—(Continued) palustris, Pin	10	100	SOPHORA—Scholar Tree Japonica, Chinese	Each	10	100
6 to 8 ft	$\frac{.95}{1.25}$	$\begin{array}{c} .75 \\ 1.00 \end{array}$	3 to 4 ft	. 1.50	$\frac{.95}{1.25}$.75 1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal 2.00 $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal 2.75 $1\frac{3}{4}$ to 2 in. cal 3.75	$\frac{1.50}{2.25} \\ 3.00$	$1.25 \\ 1.75 \\ 2.50$	5 to 6 ft	. 3.00	$2.00 \\ 2.50 \\ 3.00$	1.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4.50 5.50	$\frac{3.50}{4.50}$	SORBARIA—False Spiraea aitchisoni, Kashmir			
3 to 3½ in. cal 9.00 prinus, chestnut 6 to 8 ft	7.50 1.00	.75	2 to 3 ft	40	$.25 \\ .30 \\ .38$.20 .25 .30
8 to 10 ft	1.25 1.50	$1.00 \\ 1.25$	SORBUS—Mountain Ash aucuparia, European		.00	•••
rubra, Red 6 to 8 ft	1.25	1.00	$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal $1\frac{3}{4}$ to 2 in. cal	. 3.50	$\begin{array}{c} 2.50 \\ 3.00 \\ 3.50 \end{array}$	• • • •
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$2.00 \\ 2.50 \\ 3.00$	$1.65 \\ 2.00 \\ 2.50$	2 to 2½ in. cal SPIRAEA arguta, Garland, White	. 4.00	3.30	• • • •
$1\frac{3}{4}$ to 2 in. cal 5.00 2 to $2\frac{1}{4}$ in. cal 6.00	$\frac{4.00}{5.00}$	$\frac{3.25}{4.00}$	2 to 3 ft	30	$\frac{.20}{.25}$.16 .20
2½ to 3 in. cal 8.50 velutina, Black 6 to 8 ft 2.25	7.00 1.75	5.50	4 to 5 ftbillardi, Pink 2 to 3 ft		.30	.25
8 to 10 ft 3.00 1\(\frac{1}{4}\) to 1\(\frac{1}{2}\) in. cal 3.75	$\frac{2.50}{3.00}$		3 to 4 ft	30	.25	.20 .25
1½ to 1¾ in. cal 4.50 RHODODENDRON carolinianum, Pink Carolina	3.50	• • • •	Anthony Waterer, Dwar 15 to 18 in 1½ to 2 ft	25	.20	.15 .18
2 to 3 ft. B. & B 2.75 3 to 4 ft. B. & B 3.75	$\frac{2.50}{3.25}$		2 to 2½ ft	35	.28	.22
carolinianum alba, white 2 to 3 ft. B. & B 2.75 3 to 4 ft. B. & B 3.50	2.50 3.25		15 to 18 in	20	.16 .20 .25	$\begin{array}{c} .13 \\ .16 \\ .20 \end{array}$
catawbiense, Catawba 2 to 3 ft. B. & B 2.75	2.50		prunifolia plena, Bridal- 2 to 3 ft	wreath	.30	.25
3 to 4 ft. B. & B 4.00 maximum, collected	3.50		3 to 4 ft	60	.45 .50 .55	.35 .40 .45
2 to 3 ft	1.65 2.25 2.75	$1.35 \\ 2.00 \\ 2.50$	thunbergii, Dwarf, Whit 1½ to 2 ft	:e	.20	.16
micranthum, Manchurian 2 to 2½ ft. B. & B 2.50	2.00		2 to 3 ft	30	.25 .30	.20 .25
mucronulatum (Azalea) Korean 1½ to 2 ft. B. & B 2.00	1.75	• • • •	trichocarpa, Korean 1½ to 2 ft 2 to 3 ft	25	.20 .25	.15
Album elegans, white Amphion, pink, white center			Van Houttei, White 2 to 3 ft	20	.16	.13
Catawbiense grandiflora, rosy lila Dr. Dresselhuys, red Everestianum, lilac	ıc		3 to 4 ft 4 to 5 ft 5 to 6 ft	40	$\begin{array}{c} .23 \\ .30 \\ .45 \end{array}$.18 .25 .35
Mrs. C. S. Sargeant, light red Pres. Lincoln, deep lilac			STEPHANANDRA flexuosa, Cut-leaf		• • • • • • • • • • • • • • • • • • • •	
Roseum elegans, rosy pink 1½ to 2 ft. B. & B 3.25 2 to 2½ ft. B. & B 4.50	$\frac{2.75}{3.75}$		2 to 3 ft	30	$ \begin{array}{c} .20 \\ .25 \\ .30 \end{array} $.16 $.20$ $.25$
2½ to 3 ft. B. & B 5.75 RHODOTYPOS—White Kerria	• • • •	• • • • •	STYRAX—Snowbell japonica, Japanese		.00	
2 to 3 ft	$.25 \\ .30$.20 .25	4 to 5 ft	. 2.25	$\begin{array}{c} .75 \\ 1.75 \\ 2.50 \end{array}$	
canadensis (aromatica) Fragrant 2 to 3 ft55	.45	.35	SYMPHORICARPOS—Snov chenaulti, Chenault		2.00	••••
3 to 4 ft	.55 .70	.45 .55	racemosus, White vulgaris, Coralberry			
2 to 3 ft	.38 .55	.30 .45	1½ to 2 ft	25	$\begin{array}{c} .16 \\ .20 \\ .25 \end{array}$.12 .16 .20
cotinus, Smoketree 2 to 3 ft	.50		syringa—Lilac chinensis (rothomagensi			
4 to 5 ft	.90 1.25		chinensis saugeana, Pur 2 to 3 ft	50	.40	.30
glabra, Smooth 3 to 4 ft	.25	.20 .30	3 to 4 ft		.60	.50
5 to 6 ft	.50	.40	josikaea, Hungarian villosa, Late			
3 to 4 ft	.25 .30	.20 .25	3 to 4 ft	70	.45 .55	.35 .45
typhina laciniata, Cut-leaf 2 to 3 ft	$.25 \\ .30$.20 .25	5 to 6 ftvulgaris, Common Purpl	. 1.15	.70 .95	.55 .75
4 to 5 ft	.45	.35	2 to 3 ft	25	.20 .25	.16 .20
hispida, Pink 2 to 3 ft	.25	.20 .30	4 to 5 ft	55	.35	.25 .3 5
4 to 5 ft	.45	.35	2 to 3 ft	35	.30	$.25 \\ .30$
hugonia, Golden Rose of China 2 to 3 ft	.50	.40	4 to 5 ft	75	.50 .60	.40
1½ to 2 ft	$.25 \\ .30$.20 .25	On own roots Alphonse Lavale, light p	urple, do	uble	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{.38}{.45}$.30 .35	Charles Joly, rcd mauve, Hugo Koster, pale lilac, Ludwig Spaeth, reddish-	single		
wichuraiana, White Trailing 1 year	$^{.20}_{.25}$	$\begin{array}{c} .16 \\ .20 \end{array}$	Marie Le Gray, white, si Michael Buchner, lilac, Pres. Grevy, blue, doubl	double		
SALISBURIA—(see Ginkgo) SALIX—Willow			Rubra de Marley, light l Wm. Robinson, violet-pi	olue, sing nk, doub	le	
babylonica, Weeping 5 to 6 ft	.60 .75	.50	2 to 3 ft 3 to 4 ft 4 to 5 ft	80	.50 .65 .90	.45 .55 .70
caprea, Pussy 2 to 3 ft	.25	.20	TAXODIUM—Bald Cypress distichum, American	•		
3 to 4 ft	.30	.25 .50	4 to 5 ft. B. & B 5 to 6 ft. B. & B 6 to 8 ft. B. & B	. 4.50	$\begin{array}{c} 2.50 \\ 3.75 \\ 5.00 \end{array}$	$\begin{array}{c} 2.00 \\ 3.00 \\ 4.00 \end{array}$
6 to 8 ft	.75 .95	.60 .75	TAXUS—Yew repanda, English Spreadi	ing		
sambucus—Elderberry canadensis, American 2 to 3 ft	.20	.16	15 to 18 in	$\begin{array}{ccc} . & 2.75 \\ . & 3.50 \end{array}$	$1.50 \\ 2.25 \\ 2.85$	1.25 1.75 2.25
3 to 4 ft	.25	.20	2½ to 3 ft	. 4.50	3.75	3.00

Unit	Price in Qu Per		Uni	t Price	in Quai Per	ntities Per
TAXUS—Yew—(Continued) hicksi, Hick's Yew	ich 10	100	TSUGA—Hemlock canadensis	Each	10	100
1½ to 2 ft	2.00 1.75 2.75 2.25 3.75 3.00 1.25 3.50 1.75 4.00 5.00 5.00	1.35 1.75 2.50	2 to 3 ft	1.50 2.50 3.75 5.50 6.75 applicat	1.25 2.00 3.00 4.50 5.50 tion	1.00 1.50 2.50 3.50 4.50
1½ to 2 ft	$egin{array}{ccc} 1.15 & .95 \\ 2.00 & 1.50 \\ 2.75 & 2.25 \\ \end{array}$.75 1.25 1.75 2.75	Sargenti, Sargent's Weepin 4 to 5 ft. spread X. X. Spec. ULMUS—Elm		17.50	• • • •
3 to 3½ ft	Japanese	3.75 5.00 7.00	americana, American 6 to 8 ft 8 to 10 ft 1½ to 1½ in. cal 1½ to 1¾ in. cal	.75 .90 1.15 1.50	.60 .75 .95	.50 .60 .75 1.00
2 to 2½ ft	2.00 1.50 3.00 2.50 4.25 3.50 5.25 4.50 6.75 5.50 3.50 7.50 0.00		1¾ to 2 in. cal	2.50 3.00 3.75 5.50 6.75 8.50	2.00 2.50 3.00 4.50 5.50 7.00	1.50 2.00 2.50 3.50
1½ to 2 ft	2.75 2.25 3.75 3.00 5.50 4.75 6.75 5.50		8 to 10 ft	1.50 2.00 2.75 3.50 5.00 6.00	1.15 1.50 2.25 2.85 4.00 5.00	.95 1.25 1.75 2.25
4 to 5 ft	1.00 .90 1.50 1.25 2.25 2.00 4.25 3.50 4.75 4.00	1.00 1.50 2.75 3.25	pumila, Chinese 8 to 10 ft	1.25 1.65 2.00 3.00	1.00 1.35	
elegantissima, Goldentip 3 to 4 ft 4 to 5 ft 5 to 6 ft	$egin{array}{lll} 6.00 & 5.00 \ 1.50 & 1.25 \ 2.25 & 2.00 \ 3.50 & 2.85 \ \end{array}$	1.00 1.50 2.25	2½ to 3 ft. B. & B. bushy 3 to 4 ft. B. & B. bushy VIBURNUM—Snowball Americanum, American Cr	2.25 3.00	$\frac{2.00}{2.50}$	
globosa, Globe	$egin{array}{lll} 4.25 & {f 3.50} \ 1.25 & 1.00 \end{array}$		opulus, European Cranbers opulus sterilis, Common Sr 2 to 3 ft		1 .38	.30
2 to 2½ ft	$egin{array}{cccccccccccccccccccccccccccccccccccc$	$1.00 \\ 1.25 \\ 1.50$	3 to 4 ft	.60 .70 .75	.50 .55 .60	.40 .45
4 to 5 ft	1.75 1.35 2.50 2.00 3.50 2.85 4.50 3.75	1.65 2.25	2 to 3 ft	.60 .75 .95	.50 .60 .75	.40 .50 .60
4 to 5 ft 5 to 6 ft	1.50 1.15 2.50 2.00 3.00 2.50 4.50 3.75	$1.50 \\ 2.00$	3 to 4 ft	.45 .55 .65	.35 .45 .50	.30 .35 .40
4 to 5 ft	2.25 2.00 3.00 2.50 3.75 3.00 4.50 3.75	2.00 2.50	3 to 4 ft	.40 .55	.30 .45 .60	.25 .35 .50
8 to 10 ft	$egin{array}{lll} 6.75 & 5.50 \ 9.00 & 7.50 \ \hline 1.10 & .86 \ 1.35 & 1.16 \ \hline \end{array}$	6.00	5 to 6 ft	1.15 .90 1.15	.95 .75 .95	.75 .60 .75
3 to 4 ft	2.25 1.85 3.50 2.75	1.50	3 to 4 ft	1.50 2.00 eaf 1.15 1.50	1.25 1.50 .95 1.25	.95 1.25 .75 1.00
15 to 18 in	1.00 .80 1.25 1.00 2.00 1.50 2.75 2.28 3.25 2.78	$\begin{array}{ccc} 0 & .80 \\ 0 & 1.25 \\ 5 & 1.75 \\ 6 & 2.25 \end{array}$	sieboldi (Japonicum) Siebo 2 to 3 ft	.40 .55 .75	.30 .45 .55	.25 .35 .45
4 to 5 ft	2.75 2.28 3.25 2.50 4.25 3.50 4.75 4.00	1.75	2 to 3 ft	.30 .45 .60 .75	.25 .38 .50 .60	.20 .30 .40 .50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal	1.85 1.50 2.25 2.00 3.00 2.50 3.75 3.00	1.75 2.00	2 to 3 ft	.55 .70 .95	.45 .55 .75	.35 .45 .60
2¼ to 2½ in. cal 2½ to 3 in. cal 3 to 3½ in. cal cordata, Small-leaved Euro	4.25 3.50 5.00 4.00 6.00 5.00 pean	3.00	minor 3 inch pots heavy clumps VITEX—Chaste-tree	.20	.15 .18	.10 .13
1½ to 1¾ in. cal	2.50 2.00 3.50 2.86 4.25 3.50 5.00 4.00 6.50 5.26 iropean	2.25 2.75 3.25 4.25	agnus castus, Lilac 2 to 3 ft WEIGELA candida, White rosea, pink	.30	.25	.20
1½ to 1¾ in. cal 1¾ to 2 in. cal 2 to 2¼ in. cal 2¼ to 2½ in. cal	2.25 2.00 3.00 2.50 3.75 3.00 4.50 3.75 5.25 4.50	2.00 2.50 3.00 3.50	2 to 3 ft	.20 .25 .30 .45	.16 .20 .25 .38	.13 .15 .20 .30
tomentosa (argentea) Silver 1¼ to 1½ in. cal 1½ to 1¾ in. cal 1¾ to 2 in. cal	$egin{array}{lll} 3.75 & 3.00 \ 4.50 & 3.78 \ 5.25 & 4.40 \ \end{array}$	pean 2.50 3.00 3.50	1½ to 2 ft		.25	.20
2¼ to ½½ in. cal vulgaris, European 8 to 10 ft	6.50 5.25 8.00 6.50 2.00 1.75 2.50 2.00 3.00 2.50	1.35 1.75 2.00	2 to 3 ft	.45 .60 .95 1.15	.38 .50 .75 .95	.30 .40 .60 .75
1 % to 2 in. cal	3.50 3.00 4.25 3.50 5.25 4.50 6.00 5.00	2.85 3.50	filamentosa, Adam's Needle 2 year	e .25 .30 .35	.20 .25 .30	.16 $.20$ $.25$

CHINESE TONKIN CANES

Nurserymen realize now that when they go to the labor and expense of planting a block of Shade Trees, it pays to have every tree produce revenue. Crooked and "bow leg" trees are a dead loss. It pays to buy stakes and make every tree salable. First cost is very little as the stakes can be used over and over again. We import our Cane Stakes direct from China.

Bale of 300 canes, 7 ft. long, ¾ to % in. diameter at butt, \$12.00 per bale Bale of 300 canes, 10 ft. long, ¾ to % in. diameter at butt, \$16.00 per bale Sold in full bales only.

GALVANIZED STEEL WIRE STAKES

4 ft. @ \$2.00 per 100; \$15.00 per 1,000

GRANULATED PEAT

Finest material for propagating purposes or for mixing with soil to loosen it up and add humus. Especially is this necessary where ericaceous plants are propagated. Mixed with sand in your hot beds will give you a better stand of softwood cuttings and reduce fungus and damping off. For winter mulching of lawns and all kinds of flower and seed beds it is far superior to manure, as it does not have to be raked off in the spring and does not contain weed seeds.

We are handling only the very best quality. All brands are not alike in quality. Some brands appear to be cheaper, but there is a great difference in quantity packed in bale. Most cheap brands have 14 to 16 bushels per bale. Our bales run 20 bushels, dry weight. There-

fore, in our bales you get a greater quantity of material.

1 to 9 bales at \$3.00 per bale 10 bales and up at \$2.75 per bale

25 bales and up at \$2.60 per bale Special Quotations on Large Lots

RAFFIA

We are HEADQUARTERS for Raffia for budding and tying purposes and our brands are the Standard of the Raffia market.

The LEADING nursery firms demand the best—A. A. Westcoast—others find X. X. X. Superior, X. X. Superior or Red Star suitable for their purpose.

Send for our price list before buying, or, better still, just place your order with us and we will give you our best price.

RUBBER BUDDING STRIPS

Write for samples and prices.

NURSERY SUPPLIES

We carry in stock a full line of Spades, Pruning and Budding Knives, Pruning Shears, Labels, and Tree Callipers. Write for price list.

NOTICE TO PENNSYLVANIA BUYERS

When ordering stock on open account, please state your Special Pennsylvania Dealers' License Number covering Produce Dealers' Bond. Or do you pay cash on delivery.